ridewavesup.com

ridewavesup.com

ridewavesup.com

ridewavesup.com

ridewavesup.com

ridayovacun com

Xingtai Dashuai Trading Co., Ltd. Address: Hall 2, Office Building, Xindu District, Xingtai City, Hebei Province







Our company specializes in the design, development and production of inflatable industry accessories. Provide stable, high-quality, and innovative products for customers of various outdoor camping and water sports products such as inflatable paddle boards, inflatable tents, inflatable boats, inflatable parks, and inflatable mattresses. The company adheres to innovative and concise design concepts, fast and efficient Service awareness to meet customer needs. Since its establishment, the company has won the support and favor of domestic inflatable industry factories and foreign customers. Its products are exported to more than 20 countries and regions such as Europe, the United States, Australia, and Japan, and have been widely praised and recognized by customers.



idewayeeun com ridewayeeu

0.00

damarana a

ridauravasus

ridowovocus





HP1 PUMP

parameter

Item:HP1 PUMP

Part number: HP1 001

Dimensions:8x25x64cm

Capacity:2x1800 cc(1.8x1.8L)

Max Pressure:29 psi



parameter

Item:HP2 PUMP

Part number: HP2 002

Dimensions:11x26x60cm

Capacity:2x1800 cc(1.8x1.8L)

HP2 PUMP

Max Pressure:26 psi



Advantage

- Suitable for inflatable SUP boards, inflatable tents, inflatable kayaks, inflatable boats and other inflatable products. Exquisite and simple design style, using skillful and simple line language.
- Continuous cycle of pressing down and pulling up makes inflation quick and easy.
- •At the same time, it has the function of inflating and pumping air.
- •Super pressure-resistant inflatable bellows, length 1.25 meters.
- New joint and connector design, providing better airtightness.



Advantage

- •capacity 1.8+1.8L, max. pressure 26psi as DIN EN 16051
- rotating pump adapter to make it easier to connect the hose
- seals and anti-sand filter for long life of pump and SUP board
- high-airflow piston for an easier inflation
- switch tap for double/single action
- shockproof gauge meter









HAND PUMP



Advantage

- •capacity 2.0x2.0L, max. pressure 26psi as DIN EN 16051
- handle super ergonomic
- rotating switch for double/single action
- rotating pump adapter to make it easier to connect the hose
- ·seals and anti-sand filter for long life of pump and SUP board
- high-airflow piston for an easier inflation
- shockproof gauge meter







parameter

Item: HP9 PUMP

Part number: HP9 009

Dimensions:11x26x60cm

Capacity: 2.6x2.6L

Max Pressure:20 psi



- •capacity 2.6+2.6L, max. pressure 20psi as DIN EN 16051
- handle super ergonomic
- rotating switch for double/single action
- rotating pump adapter to make it easier to connect the hose
- · seals and anti-sand filter for long life of pump and SUP board
- high-airflow piston for an easier inflation
- shockproof gauge meter





HP6 PUMP

parameter

Item:HP6 PUMP

Part number: HP6 006

Dimensions:13.5x32.5x65cm

Capacity:3.2x3.2L

Max Pressure:30 psi



- •capacity 3.2+3.2L, max. pressure 30psi as DIN EN 16051
- switch knob to change comfortably from triple to double or single
- seals and anti-sand filter for long life of pump and SUP
- extra long body and high-airflow piston for an easier inflation
- pump completely shock-proof, compact and light (1.7kg)
- shockproof gauge meter







parameter

Item:HP10 PUMP

Part number: HP10 010

Dimensions:8.5x27.5x65cm

Capacity: 1.8x1.8L

Max Pressure:26 psi



Advantage

- removable foot
- capacity 1.8+1.8L, max. pressure 26psi as DIN EN 16051
- rotating pump adapter to make it easier to connect the hose
- seals and anti-sand filter for long life of pump and SUP board
- high-airflow piston for an easier inflation
- switch tap or rotating switch for double/single action
- shockproof gauge meter







HAND PUMP

One-way electric pump

Twe-way electric pump

parameter

Name:E-001

Color:Red, Black

Item Weight: 2.43 Pounds

LxWxH:9.3 x 5.5 x 5.1 inches

Power Source : Electric



parameter

Name:E-002

Color:Red, Black

Item Weight: 3.8 Pounds

LxWxH:9.8 x 6.9 x 6.1 inches

Power Source : Electric



Advantage

HAND PUMP

- DC 12V CAR POWER SUPPLY: Tuomico portable electric pump supports 110W, DC 12V cigarette lighter socket can connect with your car to get power directly. Widely used for outdoor, water sports and camping trip. Noise is ≤80dB.
- LCD SCREEN: Our SUP electric pump has built-in digital display and real-time pressure monitoring can help you to set your target pressure and monitor the pressure in real time. 3.6 ft long hose can inflate your inflatables more easily(NOTE: THIS PUMP CAN NOT DEFLATE).

- DC 12V CAR POWER SUPPLY: Supports 110W, DC 12V cigarette lighter plug can connect with your car to get power directly. Noise is ≤85dB.
- LCD SCREEN: Built-in digital display and real-time pressure monitoring can set your target pressure and monitor the pressure in real time. 3.6 ft long hose can inflate and deflate your inflatables more easily.















dewavesup codouble paddle ** Aluminum alloy paddle parameter parameter Color: black (customizable) Color: black (customizable) Pole: aluminum alloy Pole: aluminum alloy Paddle:Reinforced Nylon Paddle:Reinforced Nylon Use adjustable length 170-210cm Use adjustable length 200-240cm dewavesup 240cm 210cm 205cm ס PADDLE 170cm 170cm 65cm 85cm 80cm 65cm 80cm 80cm 85cm

Advantage

ridewavesup.com

- adjustable length from 170 to 210cm
- light and FLOATING, 1130g
- •shaft of 31 and 28mm in alloy 6005-T6
- compact: removable in 3 parts of 85cm

- The streamlined paddle design gives customers a perfect experience.
- Easy and fast length adjustment system
- •Four sections, convenient for packing and carrying. The longest packing length: 55 cm.
- Four sections assembled together, SUP double-headed oars, adjustable length range:
 165 ~ 240 cm
- Three sections assembled together, SUP single head paddle, adjustable length range:
 165~ 205cm

·· Fiberglass paddle Semi Carbon Hybrid Paddling parameter parameter Color: black (customizable) Color: black (customizable) Pole: Fiberglass Pole: carbon fiber Paddle:Reinforced Nylon Paddle:Reinforced Nylon Use adjustable length 165-210cm Use adjustable length 165-210cm ewavesup.col dewaves 210cm P PADDLE 165cm 165cm 72cm 65cm 66cm 86cm 87cm 75cm

Advantage

- •adjustable length from 165 to 210cm
- light and FLOATING, 1020g
- •shaft of 31 and 28mm in fiberglass with reinforced ring
- •compact: removable in 3 parts of 87cm

- •adjustable length from 165 to 210cm
- light and FLOATING, 1020g
- •shaft of 31 and 28mm in fiberglass with reinforced ring
- compact: removable in 3 parts of 87cm



SUP FIN

Detachable large tail fin

• American tail fin

ridewavesup.com

parameter

Color: black (customizable)

Material of upper film: 100%PC

base material: PVC Size: 240*113mm



parameter

Color: black (customizable)

Material of upper film: Enhanced High Gloss Nylon

Size: 240*113mm



Detachable large tail fin

parameter

Color: black (customizable)

Material of upper film: 100%PC

base material: PVC Size: 240*113mm



American tail fin

parameter

Color: black (customizable)

Material of upper film: PA6+30% glass fiber

Size: 240*113mm





ridewaye double swivel foot rope ridewayesup.com

ridewavesup.com

ridewavesup.com

parameter

Spiral diameter: 5mm/5.5mm/6mm/7mm

Elastic length: 300cm Color: customizable



ridewayeeun com

ridowayaeun com

ridowayosun con

ridowayasın com

ridowavocun con



Backpack de wavesur som

parameter

Name:B-001 Color:Black

BACKPACK

Material: Oxford cloth size:92.5*45*24cm



ridewavesup cowheel bag sup. com ridewavesup, com

parameter

Name:B-002

Color:Black

Material: Oxford cloth size:92.5*45*24cm



Backpack

parameter

Name:B-003

Color:green

Material: Oxford cloth size:92.5*45*24cm



Backpack

parameter

Name:B-004

Color:green

Material: Oxford cloth size:92.5*45*24cm



