



Listen to
nature's heartbeat



2022-2023
Collection



Address: Hall 2, Office Building, Xindu District, Xingtai City, Hebei Province
Tel: +86 18617637931
Mobile: +86 18617637931
Whatsapp: +86 18617637931
Wechat: +86 18617637931
E-mail: Selina@dashuaism.com
URL: <https://ridewavesup.com>

RIDEWAVE

vision & innovation!

-Ridewave is dedicated to helping outdoor enthusiasts explore new species of adventure and fun.

We are obsessed with quality, accumulated in material innovation, design innovation, experience innovation, our innovation is reflected in easy travel and safe travel, let your leisure life more in harmony with nature. If you're a water sports fan, she's worth it!

-Ridewave's innovative materials are represented by air-tight, stable surfaces, good leveling and resilience.

-3D hollow structure technology also gives Ride Wave products light weight and high strength features.

-Uniformly long threads provide a unit breaking force of more than 1Mpa(10atm,145psi);

-The space cloth material is coated with special PVC airtight coating, which can provide more than 150N/5cm peel strength. You do not have to worry about the possibility of delamination or burst!

Ridewave's production base

The factory area is 16,000 m², the production workshop is nearly 10,000 m², and the office and living room is 2,800 m².



CONTENT

RIDEWAVE SERIES

All-Round series	03
Touring series	07
Conqueror-Multi person series	11
Touring Double Chamber series	13
Race series	17

NEW RIDEWAVE

Touring Live up to love series	21
ALL-Round North Star series	25
ALL-Round Modern Stylish series	29
Racing Carbon series	33
Body Board Dolphins elf series	35
Amphibious yoga equipment series	37

ACCESSORIES

SUP paddle	41
PUMP	45
Tail fin	51
Backpack	53
Double swivel foot rope	53

CONTENTS

RIDEWAVE | All-round series

Ridewave all-round entry-level paddle board fully reflects its lightness, flexibility and stability, suitable for beginners and children; the round and streamlined board design gives it multi-functional support, you can bring your family or friends or even you Paddle on the water with your dog, interactive games, yoga and more. Ridewave has carefully designed four entry-level paddle boards, and you can easily find the paddle board that suits you.



FEATURES:

- Stable and easy to control, suitable for beginners to practice rowing on calm water.
- Ideal for 1-2 hours of cruising or surfing in lakes, rivers and oceans.
- 6"(15cm) 3D flat weaving technology space cloth, light weight, high strength, uniform length of wire drawing can support the normal use of the plate pressure up to 15-17psi.
- 1 Slide-in center fin+2 stabilizer side fins system.
- Anti UV nylon with cotton core handle.
- Easy to operate anti-pressure valve + delicate valve instructions.
- The tail is equipped with 316 stainless steel D-ring connecting safety rope device.
- The middle of the plate body is provided with four 316# unembroidered steel high-strength tensile rings for fixing the sitting position.

RW22001

275A

Length: 9'/275CM
Width: 30"/76CM
Thickness: 6"/15CM
Volume: 206 liters
Capacity: 97kg/214lbs
Rider Style: All Round

configuration



RW22002

305A

Length: 10'/305CM
Width: 32"/81CM
Thickness: 6"/15CM
Volume: 300 liters
Capacity: 141kg/311lbs
Rider Style: All Round

configuration



RW22003

335A

Length: 11'/335CM
Width: 32"/81CM
Thickness: 6"/15CM
Volume: 330 liters
Capacity: 155kg/342lbs
Rider Style: All Round

configuration





RIDEWAVE

Ultra light bending resistance plate technology

-Lighter and more economical choice



1. Ridewave's 3D flat weave technology space cloth endows the board with the characteristics of light weight and high strength. Drawing with consistent length can provide a unit breaking strength of more than 1Mpa (10 atm, 145PSI).
2. High cycle high temperature electromagnetic wave welding technology is adopted for the molded edge of inner seal to ensure the airtightness and stability of the plate, while shaping the plate stably without deformation.
3. The outer layer adopts full fitting reinforcement technology to ensure that the board can adapt to different water environment.

RW22004	350A
Length:	11'6"/350M
Width:	32"/81CM
Thickness:	6"/15CM
Volume:	359 liters
Capacity:	169 kg/372 lbs
Rider Style:	All Round

configuration



Key Feature:



Easy to operate anti-high pressure air valve

The pressing structure is adopted, which can quickly start and close the air valve; The ingenious design of the valve core can resist the pressure above 30psi, and can also cooperate with the pressure gauge to accurately measure the air pressure of the plate.



Plate tail integrated punching type skirting pad

The design of the kick pad can help the paddler to quickly stop and turn in place.




Plate tail integrated punching type skirting pad

316 # stainless steel D-ring+multi strand core super strong elastic rope. The elastic rope is made of high-density weaving, which is highly elastic and durable without loose core.



Tail system with 1 cruise center fin+2 balanced and stable side fins

The removable central fin, which is convenient and easy to operate, is made of 100% PC material with high hardness and is not easy to break.



EVA anti slip pad

High density and high rebound (not painful), four-dimensional rebound technology (super soft), color firm and non-fading EVA MATS, bring you a different leisure experience!



Luxury molded seats (optional)

Ridewave all-around series are equipped with four 316 # stainless steel seat fixing rings to meet different leisure experiences during rowing. The seat is made of EVA+diving cloth. The main body of the seat is formed by hot pressing, which makes the seat beautiful, comfortable and durable.

Ridewave all-around series configuration



Double-layer Backpack
39x23x9cm



Aluminum alloy three section paddle
65"-81"(165-205cm)



Two way high strength pump
25"X9"(63X23cm)



Safety foot leash
10' (305cm)/6mm

RIDEWAVE | Touring series

Ridewave touring board series is designed to be fast, stable, flexible and controllable advantages are suitable for the view along the way light leisure, but also have the potential to participate in amateur competitions; The 32" board width is enough to match your superb technology to conquer the turbulent river. The unique design of the front face of the board leaning forward the combination of carefully arranged caudal fins and the tail helps you break in the wind the waves go on without fear.

Ridewave, look forward to walking hand in hand with you!



FEATURES:

- Stable and easy to control, suitable for beginners to practice rowing on calm water.
- Ideal for 1-2 hours of cruising or surfing in lakes, rivers and oceans.
- 6" (15cm) 4-layer PVC and 5-layer 1000D woven fabric double side alternate fitting technology space cloth.
- 1 Slide-in center fin + 2 stabilizer side fins system.
- Anti UV nylon with cotton core handle.
- Easy to operate anti-pressure valve + delicate valve instructions.
- The tail is equipped with 316 stainless steel D-ring connecting safety rope device.
- The middle of the plate body is provided with four 316# unembroidered steel high-strength tensile rings for fixing the sitting position.
- Forward inclined plate head design for more powerful wave breaking.

RW22005

300T

Length:	9'10"/300CM
Width:	32"/81CM
Thickness:	6"/15CM
Volume:	288 liters
Capacity:	136 kg/299 lbs
Rider Style:	Touring

configuration



RW22006

320T

Length:	10'6"/320CM
Width:	32"/81CM
Thickness:	6"/15CM
Volume:	308 liters
Capacity:	145kg/319lbs
Rider Style:	Touring

configuration



RW22007

340T

Length:	11'2"/340CM
Width:	32"/81CM
Thickness:	6"/15CM
Volume:	330 liters
Capacity:	155kg/342lbs
Rider Style:	Touring

configuration



Key Feature:



Easy to operate anti-high pressure air valve

The pressing structure is adopted, which can quickly start and close the air valve; The ingenious design of the valve core can resist the pressure above 30psi, and can also cooperate with the pressure gauge to accurately measure the air pressure of the plate.



Plate tail integrated punching type skirting pad

The design of the kick pad can help the paddler to quickly stop and turn in place.



Plate tail integrated punching type skirting pad

316 # stainless steel D-ring+multi strand core super strong elastic rope. The elastic rope is made of high-density weaving, which is highly elastic and durable without loose core.



Tail system with 1 cruise center fin+2 balanced and stable side fins

The removable central fin, which is convenient and easy to operate, is made of 100% PC material with high hardness and is not easy to break.



EVA anti slip pad

High density and high rebound (not painful), four-dimensional rebound technology (super soft), color firm and non-fading EVA MATS, bring you a different leisure experience!



Luxury molded seats (optional)

Ridewave all-around series are equipped with four 316 # stainless steel seat fixing rings to meet different leisure experiences during rowing. The seat is made of EVA+diving cloth. The main body of the seat is formed by hot pressing, which makes the seat beautiful, comfortable and durable.

Ridewave Touring series configuration



Double-layer Backpack
39x23x9cm




Aluminum alloy three section paddle
65"-81" (165-205cm)



Two way high strength pump
25" x 9" (63 x 23cm)




Safety foot leash
10' (305cm)/6mm



RIDEWAVE

Strengthening anti-seismic plate technology

Steel structure, tensile strength increased by 60%



1. Ridewave 3D flat woven reinforcing layer space cloth adopts 4 layers of PVC and 5 layers of 1000D woven cloth double-side alternating fitting technology, the space weight can reach more than 3400GSM, giving the plate higher rigidity and higher tensile strength.

2. Inner layer sealing shaping+outer layer full fitting reinforcement technology.

3. The board surface is additionally fully covered with composite reinforcement layer, and the additional layer adopts 1000D flat weave technology to effectively improve the rigidity and tensile strength of the board.

RIDEWAVE | Conqueror-Multi person series



Ridewave Conqueror multiplayer board has a broad mind and safety responsibility. It is designed for families or groups to travel together. You can travel with your family or friends for the ultimate joy of exploration and adventure, and elevate the water happiness to a new leisure height! Therefore, be ready to enjoy leisure time with your closest and dearest people.
Ridewave, Escort for love!

FEATURES:

- 8"(20cm) 3D flat weave technology space cloth, the planner gave this super large board 14000/m² With 500D plate technology, the super large bearing capacity also has higher stability.
- The tail system with 3 balanced stabilizing fins can achieve precise control and stability under any water conditions.
- Multiple UV resistant nylon and cotton core handles make it easy for you and your team to move this giant.
- A high pressure inflation valve is set at the head and tail of the board, so you can enjoy inflation with your family or friends.



Aluminum alloy three section paddle
65"-81"(165-205cm)



Two way high strength pump
25"-9"(63-23cm)

Listen to nature's heartbeat



RW22009

C-14

Length: 14'/426CM
Width: 49"/125CM
Thickness: 8"/20CM
Volume: 745 liters
Capacity: 335 kg/739 lbs
Rider Style: Up to 4

configuration



RW22010

C-17

Length: 17'/518CM
Width: 60"/152CM
Thickness: 8"/20CM
Volume: 1110 liters
Capacity: 500 kg/1102 lbs
Rider Style: Up to 6

configuration




RIDEWAVE | Touring Series

Double Chamber



Ridewave's engineer team is an innovative inventor of the first generation of double chamber technology (invented in 2013), the second generation of double chamber technology (invented in 2019), and the internal and external air chamber I-shaped double wall technology (invented in 2010). Planners' persistent innovation spirit on products escorts your persistent outdoor exploration spirit.



The I-shaped double-layer partition wall of the inner and outer air chambers, High frequency welding technology is used.

Listen to nature's heartbeat



RW22011	320T Pro
Length:	12'6"/320CM
Width:	32"/81CM
Thickness:	6"/15CM
Volume:	308 liters
Capacity:	145 kg/319 lbs
Rider Style:	Touring


configuration



RW22011	320T Pro
Length:	12'6"/320CM
Width:	32"/81CM
Thickness:	6"/15CM
Volume:	308 liters
Capacity:	145 kg/319 lbs
Rider Style:	Touring

configuration





Double safety air chamber technology

--High quality and super security

A second independent chamber provides more than 75L of buoyancy, ensuring that the rower can safely land in the event that one of the chambers is damaged and leaked. The independent setting of two air chambers can reduce the air flow space in the chamber, and the bending strength of the plate can be increased by more than 30%, which greatly improves the rowing speed of the plate.

- Forward inclined plate head design for more powerful wave breaking.



Independent middle air chamber increases board hardness

double security

FEATURES:

- Stable and easy to control, suitable for beginners to practice rowing on calm water.
- Ideal for 1-2 hours of cruising or surfing in lakes, rivers and oceans.
- 6"(15cm) 3D flat knitting technology space cloth, 14000/m² needle 500D plate technology.
- 1 Slide-in center fin+2 stabilizer side fins system.
- Anti UV nylon with cotton core handle.
- Easy to operate anti - pressure valve + delicate valve instructions.
- The tail is equipped with 316 stainless steel D-ring connecting safety rope device.
- The middle of the plate body is provided with four 316# unembroidered steel high-strength tensile rings for fixing the sitting position.

Key Feature:



Easy to operate anti-high pressure air valve

The pressing structure is adopted, which can quickly start and close the air valve; The ingenious design of the valve core can resist the pressure above 30psi, and can also cooperate with the pressure gauge to accurately measure the air pressure of the plate.



Plate tail integrated punching type skirting pad

The design of the kick pad can help the paddler to quickly stop and turn in place.



Plate tail integrated punching type skirting pad

316 # stainless steel D-ring+multi strand core super strong elastic rope. The elastic rope is made of high-density weaving, which is highly elastic and durable without loose core.



Tail system with 1 cruise center fin+2 balanced and stable side fins

The removable central fin, which is convenient and easy to operate, is made of 100% PC material with high hardness and is not easy to break.



EVA anti slip pad

High density and high rebound (not painful), four-dimensional rebound technology (super soft), color firm and non-fading EVA MATS, bring you a different leisure experience!



Luxury molded seats (optional)

Ridewave all-around series are equipped with four 316 # stainless steel seat fixing rings to meet different leisure experiences during rowing; The seat is made of EVA+diving cloth. The main body of the seat is formed by hot pressing, which makes the seat beautiful, comfortable and durable.

Ridewave Touring series configuration



Double-layer Backpack
39x23x9cm



Aluminum alloy three section paddle
65"-81"(165-205cm)



Two way high strength pump
25"X9"(63X23cm)



Safety foot leash
10' (305cm)/6mm


RIDEWAVE | Race series



Ridewave Zou series is a high-end racing equipment specially designed for oarsmen who pursue extreme speed. Zou is characterized by its lightest weight and super rigidity. Fast, light and excellent aerodynamics are the ultimate design goal of Zou created by our technical team. Exquisite forward inclined water breaker head, slender streamlined body, and stable racing fins release the shackles of waves faster for competition. Ridewave, Show your confidence!



Listen to nature's heartbeat



RW22013

ZOU 12.6

Length:	12'6"/381CM
Width:	27"/68CM
Thickness:	6"/15CM
Volume:	299 liters
Capacity:	141 kg/310 lbs
Rider Style:	Race

configuration



RW22014

ZOU 14

Length:	14'/426CM
Width:	30"/76CM
Thickness:	6"/15CM
Volume:	374 liters
Capacity:	176 kg/387 lbs
Rider Style:	Race

configuration





FEATURES:

- The 10.8-inch main fin is suitable for more competitions, tough and flexible, giving you faster speed.
- 6"(15cm)3D flat knitting technology space cloth, 14000/m² needle 500D plate technology.
- Professional racing fins provide more flexible controllability.
- Luggage fixing device with four ring high elastic tension resistant structure at the head.
- Anti UV nylon with cotton core handle.
- The tail is equipped with 316 stainless steel D-ring connecting safety rope device.
- Forward inclined plate head design for more powerful wave breaking.

RW22015 ZOU 12.6

Length:	12'6"/381CM
Width:	27"/68CM
Thickness:	6"/15CM
Volume:	299 liters
Capacity:	141 kg/310 lbs
Rider Style:	Race

configuration



Key Feature:



Easy to operate anti-high pressure air valve

The pressing structure is adopted, which can quickly start and close the air valve; The ingenious design of the valve core can resist the pressure above 30psi, and can also cooperate with the pressure gauge to accurately measure the air pressure of the plate.



Plate tail integrated punching type skirting pad

The design of the kick pad can help the paddler to quickly stop and turn in place.




Plate tail integrated punching type skirting pad

316 # stainless steel D-ring+multi strand core super strong elastic rope. The elastic rope is made of high-density weaving, which is highly elastic and durable without loose core.



Professional racing fins

Ridewave professional racing fins are more flexible and controllable. PC material+enhanced high gloss nylon material, high hardness and not easy to break.



EVA anti slip pad

High density and high rebound (not painful), four-dimensional rebound technology (super soft), color firm and non-fading EVA MATS, bring you a different leisure experience!



Exquisite forward inclined water breaker head

The Ridewave's exquisite head design increases speed by 20%, giving you the confidence to complete the finish line.

Ridewave Touring series configuration



Double-layer Backpack
39x23x9cm



Aluminum alloy three section paddle
65"-81"(165-205cm)



Two way high strength pump
25"X9"(63X23cm)



Safety foot leash
10' (305cm)/6mm

RIDEWAVE | Live up to love

The live up to love series is a new designed for 2023 that combines the idea of listening to the heartbeat of nature. The version adopts the version of cruise board, which is not only suitable for sightseeing and leisure along the way, but also has the potential to participate in amateur competitions; The 32" board is also wide enough to match your superb skill in conquering a fast-flowing river. The unique design of the front of the board and the combination of neatly arranged tail fins make you fearless in riding the wind and waves. RideWave is looking forward to working with you.



FEATURES:

- Stable and easy to control, suitable for beginners to practice rowing on calm water.
- Ideal for 1-2 hours of cruising or surfing in lakes, rivers and oceans.
- 6" (15cm) 4-layer PVC and 5-layer 1000D woven fabric double side alternate fitting technology space cloth.
- 1 Slide-in center fin+2 stabilizer side fins system.
- Anti UV nylon with cotton core handle.
- Easy to operate anti - pressure valve + delicate valve instructions.
- The tail is equipped with 316 stainless steel D-ring connecting safety rope device.
- The middle of the plate body is provided with four 316# unembroidered steel high-strength tensile rings for fixing the sitting position.
- Forward inclined plate head design for more powerful wave breaking.

RW23001

320T

Length: 10'6"/320CM
Width: 32"/81CM
Thickness: 6"/15CM
Volume: 308 liters
Capacity: 145kg/319lbs
Rider Style: Touring

configuration



RW23002

320T

Length: 10'6"/320CM
Width: 32"/81CM
Thickness: 6"/15CM
Volume: 308 liters
Capacity: 145kg/319lbs
Rider Style: Touring

configuration



RW23003

320T

Length: 10'6"/320CM
Width: 32"/81CM
Thickness: 6"/15CM
Volume: 308 liters
Capacity: 145kg/319lbs
Rider Style: Touring

configuration



Key Feature:



Easy to operate anti-high pressure air valve

The pressing structure is adopted, which can quickly start and close the air valve; The ingenious design of the valve core can resist the pressure above 30psi, and can also cooperate with the pressure gauge to accurately measure the air pressure of the plate.



Plate tail integrated punching type skirting pad

The design of the kick pad can help the paddler to quickly stop and turn in place.



Plate tail integrated punching type skirting pad

316 # stainless steel D-ring+multi strand core super strong elastic rope. The elastic rope is made of high-density weaving, which is highly elastic and durable without loose core.



Tail system with 1 cruise center fin+2 balanced and stable side fins

The removable central fin, which is convenient and easy to operate, is made of 100% PC material with high hardness and is not easy to break.



EVA anti slip pad


High density and high rebound (not painful), four-dimensional rebound technology (super soft), color firm and non-fading EVA MATS, bring you a different leisure experience!



Luxury molded seats (optional)

Ridewave all-around series are equipped with four 316 # stainless steel seat fixing rings to meet different leisure experiences during rowing; The seat is made of EVA+diving cloth. The main body of the seat is formed by hot pressing, which makes the seat beautiful, comfortable and durable.

Ridewave Touring series configuration

Double-layer Backpack
39x23x9cmAluminum alloy three section paddle
65"-81" (165-205cm)Two way high strength pump
25" X 9" (63 X 23cm)Safety foot leash
10' (305cm)/6mm

Reinforced anti-seismic panel technology

-Steel structure, tensile strength increased by 60%



1. RIDEWAVE's 3D plain weave reinforcement layer space cloth adopts double-sided alternate bonding technology of 4 layers of PVC and 5 layers of 1000D woven cloth. The weight of the space cloth can reach more than 3400GSM, giving the board higher rigidity and higher strength, tensile strength.
2. The inner layer is sealed and shaped + the outer layer is fully laminated and reinforced.
3. The board surface is additionally fully covered with a composite reinforcement layer, and the extra layer adopts 1000D plain weaving technology, which effectively improves the rigidity and tensile strength of the board body.

FEATURES:

- Stable and easy to control, suitable for beginners to practice rowing on calm water.
- Ideal for 1-2 hours of cruising or surfing in lakes, rivers and oceans.
- 6"(15cm)3D flat knitting technology space cloth, 14000/m² needle 500D plate technology.
- 1 Slide-in center fin+2 stabilizer side fins system.
- Anti UV nylon with cotton core handle.
- Easy to operate anti - pressure valve + delicate valve instructions.
- The tail is equipped with 316 stainless steel D-ring connecting safety rope device.
- The middle of the plate body is provided with four 316# unembroidered steel high-strength tensile rings for fixing the sitting position.

RIDEWAVE | ALL Round North Star Series

The ALL Round North Star Series is a new SUP designed for beginners. There are four entry level paddleboards designed with great care, so you can easily find the right paddle board for you. ALL Round North Star Series give beginners one more choice.



FEATURES:

- Stable and easy to control, suitable for beginners to practice rowing on calm water.
- Ideal for 1-2 hours of cruising or surfing in lakes, rivers and oceans.
- 6" (15cm) 4-layer PVC and 5-layer 1000D woven fabric double side alternate fitting technology space cloth.
- 1 Slide-in center fin.
- Anti UV nylon with cotton core handle.
- Easy to operate anti - pressure valve + delicate valve instructions.
- The tail is equipped with 316 stainless steel D-ring connecting safety rope device.
- The middle of the plate body is provided with four 316# unembroidered steel high-strength tensile rings for fixing the sitting position.
- Forward inclined plate head design for more powerful wave breaking.

RW23004

305A

Length: 10'/305CM
Width: 32"/81CM
Thickness: 6"/15CM
Volume: 300 liters
Capacity: 141kg/311lbs
Rider Style: ALL Round

configuration



RW23005

320A

Length: 10'6"/320CM
Width: 32"/81CM
Thickness: 6"/15CM
Volume: 308 liters
Capacity: 145kg/319lbs
Rider Style: ALL Round

configuration



RW23006

335A

Length: 11'/335CM
Width: 32"/81CM
Thickness: 6"/15CM
Volume: 330 liters
Capacity: 155kg/342lbs
Rider Style: ALL Round

configuration






RIDEWAVE

Ultra-light anti-bending
board body technology

-Lighter and more economical choice



RW23007

365A

Length:	12'/365M
Width:	33"/84CM
Thickness:	6"/15CM
Volume:	374 liters
Capacity:	176 kg/388 lbs
Rider Style:	All Round


configuration



1. Ridewave's 3D three-dimensional plain weaving technology space cloth endows the board with light weight and strength. High-strength, consistent-length drawstrings can provide over 1Mpa (10 atm, 145PSI) unit breaking strength.
2. The sealing and shaping edge of the inner layer adopts high-frequency high-temperature electromagnetic wave welding technology. Ensure the airtightness and stability of the board body, and at the same time shape the board body to be stable and not deformed.
3. The outer layer adopts full-fit reinforcement technology to ensure that the board body can adapt to different water conditions. domain environment.

Listen to nature's heartbeat

Key Feature:



ALL Round North Star Series disposition



Double-layer Backpack
39x23x9cm



Aluminum alloy three section paddle
65"-81" (165-205cm)



Two way high strength pump
25"X9" (63X23cm)



Safety foot leash
10' (305cm)/6mm

RIDEWAVE | ALL Round Modern Stylish Series

The ALL Round Modern Stylish Series is a new SUP designed for beginners. There are three entry level paddleboards designed with great care, so you can easily find the right paddle board for you. ALL Round Modern Stylish Series give beginners one more choice.



FEATURES:

- Stable and easy to control, suitable for beginners to practice rowing on calm water.
- Ideal for 1-2 hours of cruising or surfing in lakes, rivers and oceans.
- 6" (15cm) 4-layer PVC and 5-layer 1000D woven fabric double side alternate fitting technology space cloth.
- 1 US fin.
- Anti UV nylon with cotton core handle.
- Easy to operate anti - pressure valve + delicate valve instructions.
- The tail is equipped with 316 stainless steel D-ring connecting safety rope device.
- The middle of the plate body is provided with four 316# unembroidered steel high-strength tensile rings for fixing the sitting position.
- Forward inclined plate head design for more powerful wave breaking.

RW23008	310A
Length:	10'2"/310CM
Width:	32"/81CM
Thickness:	6"/15CM
Volume:	305 liters
Capacity:	145kg/319lbs
Rider Style:	ALL Round

configuration



RW23009	330A
Length:	10'10"/330CM
Width:	32"/81CM
Thickness:	6"/15CM
Volume:	330 liters
Capacity:	155kg/342lbs
Rider Style:	ALL Round

configuration



RW23010	350A
Length:	11'6"/350CM
Width:	32"/81CM
Thickness:	6"/15CM
Volume:	359 liters
Capacity:	169kg/372lbs
Rider Style:	ALL Round

configuration






RIDEWAVE


Ultra-light anti-bending
board body technology

-Lighter and more economical choice



1. Ridewave's 3D three-dimensional plain weaving technology space cloth endows the board with light weight and strength High-strength, consistent-length drawstrings can provide over 1Mpa (10 atm, 145PSI) unit breaking strength.
2. The sealing and shaping edge of the inner layer adopts high-frequency high-temperature electromagnetic wave welding technology, Ensure the airtightness and stability of the board body, and at the same time shape the board body to be stable and not deformed.
3. The outer layer adopts full-fit reinforcement technology to ensure that the board body can adapt to different water conditions. domain environment.

Key Feature:



ALL Round Modern Stylish Series disposition



Double-layer Backpack
39x23x97cm



Aluminum alloy three section paddle
65"-81" (165-205cm)



Two way high strength pump
25" X 9" (63 X 23cm)



Safety foot leash
10' (305cm)/6mm



Listen to nature's heartbeat

Key Feature:



Easy to operate anti-high pressure air valve

The pressing structure is adopted, which can quickly start and close the air valve; The ingenious design of the valve core can resist the pressure above 30psi, and can also cooperate with the pressure gauge to accurately measure the air pressure of the plate.



Plate tail integrated punching type skirting pad

The design of the kick pad can help the paddler to quickly stop and turn in place.



Plate tail integrated punching type skirting pad

316 # stainless steel D-ring+multi strand core super strong elastic rope. The elastic rope is made of high-density weaving, which is highly elastic and durable without loose core.



Carbon fiber strip

Mesh stickers

Hemming



Professional racing fins

Ridewave professional racing fins are more flexible and controllable. PC material+enhanced high gloss nylon material, high hardness and not easy to break.



EVA anti slip pad

High density and high rebound (not painful), four-dimensional rebound technology (super soft), color firm and non-fading EVA MATS, bring you a different leisure experience!



Exquisite forward inclined water breaker head

The Ridewave's exquisite head design increases speed by 20%, giving you the confidence to complete the finish line.

RW23011 RACE 14

Length:	14'/381CM
Width:	30"/76CM
Thickness:	6"/15CM
Volume:	374 liters
Capacity:	176 kg/310 lbs
Rider Style:	Race

FEATURES:

- The 10.8-inch main fin is suitable for more competitions, tough and flexible, giving you faster speed.
- 6"(15cm)3D flat knitting technology space cloth, 14000/m² needle 500D plate technology.
- Professional racing fins provide more flexible controllability.
- Luggage fixing device with four ring high elastic tension resistant structure at the head.
- Anti UV nylon with cotton core handle.
- The tail is equipped with 316 stainless steel D-ring connecting safety rope device.
- Forward inclined plate head design for more powerful wave breaking.

configuration



Racing board series configuration



Double-layer Backpack
39x23x97cm



Aluminum alloy three section paddle
65"-81"(165-205cm)



Two way high strength pump
25" x 9" (63 x 23cm)



Safety foot leash
10' (305cm)/6mm

RIDEWAVE | inflatable body board -Dolphins elf



Listen to nature's heartbeat

Key Feature:



Easy to operate anti-high pressure air valve

The pressing structure is adopted, which can quickly start and close the air valve; The ingenious design of the valve core can resist the pressure above 30psi, and can also cooperate with the pressure gauge to accurately measure the air pressure of the plate.



Pearl cotton handle

Embroidered logo+ pearl cotton handle.



316 stainless steel D ring

There is a 316# stainless steel safety rope connection device at the tail.



Professional racing fins

Ridewave professional racing fins are more flexible and controllable. PC material+enhanced high gloss nylon material, high hardness and not easy to break.



EVA anti slip pad

High density and high rebound (not painful), four-dimensional rebound technology (super soft), color firm and non-fading EVA MATS, bring you a different leisure experience!



Exquisite shape and large bearing surface

Unique shape, similar bearing area at front and rear.

RW23012

D4

Length: 4'/122CM
Width: 28"/71CM
Thickness: 4"/10CM
Volume: 240 liters
Capacity: 100 kg/200 lbs
Rider Style: Body board

configuration



inflatable body board series configuration



Double-layer Backpack
39x23x97cm



Two way high strength pump
25" X 9" (63 X 23cm)



Safety foot leash
10' (305cm)/6mm

RIDEWAVE | Amphibious yoga equipment series

Ridewave yoga series products are born for you to become beautiful, is your good partner of self-cultivation!



FEATURES:

- Design perfect position line, give beginners more help, to meet all your beauty fantasy!
- Environmental protection tasteless EVA adopts high density high rebound (painless), four dimensional rebound (super soft) technology, so that you can rest assured to stretch your beautiful action!
- Material innovation is characterized by stable air tightness, smooth surface and good resilience. 3D hollow structure technology also gives yoga mat light weight and high strength characteristics.

RW22016 YOGA-Y(red)

Length:	8'/244CM
Width:	36"/91CM
Thickness:	6"/15CM
Volume:	281 liters
Capacity:	126 kg/278 lbs
Rider Style:	Yoga

configuration



RW22017 YOGA-Y(Green)


Length:	8'/244CM
Width:	36"/91CM
Thickness:	6"/15CM
Volume:	281 liters
Capacity:	126 kg/278 lbs
Rider Style:	Yoga

configuration



RIDEWAVE


Key Feature:



ALL Round Modern Stylish Series disposition



Key Feature:



ALL Round Modern Stylish Series disposition



RIDEWAVE | SUP paddle

Ridewave newly launched 5 types of paddles, including double-headed paddles, single-headed paddles, carbon paddles, fiberglass paddles, etc., you can choose according to your hobbies!




Aluminum alloy paddle

Color:	black (customizable)
Pole:	aluminum alloy
Paddle:	Reinforced Nylon Use adjustable length 170-210cm



Double paddle

Color:	black (customizable)
Pole:	aluminum alloy
Paddle:	Reinforced Nylon Use adjustable length 200-240cm



Semi Carbon Hybrid Paddling

Color:	black (customizable)
Pole:	carbon fiber
Paddle:	Reinforced Nylon Use adjustable length 165-210cm



Fiberglass paddle

Color:	black (customizable)
Pole:	Fiberglass
Paddle:	Reinforced Nylon Use adjustable length 165-210cm

RIDEWAVE | SUP paddle

Ridewave newly launched 5 types of paddles, including double-headed paddles, single-headed paddles, carbon paddles, fiberglass paddles, etc., you can choose according to your hobbies!



Hybrid carbon fiber single head propeller

Color:	black (customizable)
Pole:	30% carbon fiber + 70% glass fiber
Paddle:	Use adjustable length 170-210cm

Listen to nature's heartbeat

It is designed to easily generate speed and power during cruising and racing, also perfect for surfing to generate top turns and bottom turns.




THIRD REMARKABLE BLADE

Third paddle board paddle blade design make the paddle more lightweight, and more strong and efficient stroke.



ADJUSTABLE

Just seconds to adjust the height from 65 to 86 inches (165-210cm). Adjustable spin lock can make the handle /paddle tension meet your needs.



LIGHTWEIGHT

Reduce your fatigue when paddling, also easy to carry and transport.



T-HANDLE

Super comfortable ergonomically designed handle.

Before use, please rotate the lock and tighten the lock handle



unlock



rotary



lock



HP1 PUMP

parameter

Item:HP1 PUMP

Part number:HP1 001

Dimensions:8x25x64cm

Capacity:2x1800 cc(1.8x1.8L)

Max Pressure:29 psi



Advantage

- Suitable for inflatable SUP boards, inflatable tents, inflatable kayaks, inflatable boats and other inflatable products. Exquisite and simple design style, using skillful and simple line language.
- Continuous cycle of pressing down and pulling up makes inflation quick and easy.
- At the same time, it has the function of inflating and pumping air.
- Super pressure-resistant inflatable bellows, length 1.25 meters.
- New joint and connector design, providing better airtightness.



HP2 PUMP

parameter

Item:HP2 PUMP

Part number:HP2 002

Dimensions:11x26x60cm

Capacity:2x1800 cc(1.8x1.8L)

Max Pressure:26 psi



Advantage

- capacity 1.8+1.8L, max. pressure 26psi as DIN EN 16051
- rotating pump adapter to make it easier to connect the hose
- seals and anti-sand filter for long life of pump and SUP board
- high-airflow piston for an easier inflation
- switch tap for double/single action
- shockproof gauge meter



HP8 PUMP

parameter

Item:HP8 PUMP

Part number:HP8 008

Dimensions:8x25x64cm

Capacity:2.0x2.0L

Max Pressure:26 psi



Advantage

- capacity 2.0x2.0L, max. pressure 26psi as DIN EN 16051
- handle super ergonomic
- rotating switch for double/single action
- rotating pump adapter to make it easier to connect the hose
- seals and anti-sand filter for long life of pump and SUP board
- high-airflow piston for an easier inflation
- shockproof gauge meter



HP9 PUMP

parameter

Item:HP9 PUMP

Part number:HP9 009

Dimensions:11x26x60cm

Capacity:2.6x2.6L

Max Pressure:20 psi



Advantage

- capacity 2.6+2.6L, max. pressure 20psi as DIN EN 16051
- handle super ergonomic
- rotating switch for double/single action
- rotating pump adapter to make it easier to connect the hose
- seals and anti-sand filter for long life of pump and SUP board
- high-airflow piston for an easier inflation
- shockproof gauge meter



HP6 PUMP

parameter

Item:HP6 PUMP

Part number:HP6 006

Dimensions:13.5x32.5x65cm

Capacity:3.2x3.2L

Max Pressure:30 psi



Advantage

- capacity 3.2+3.2L, max. pressure 30psi as DIN EN 16051
- switch knob to change comfortably from triple to double or single
- seals and anti-sand filter for long life of pump and SUP
- extra long body and high-airflow piston for an easier inflation
- pump completely shock-proof, compact and light (1.7kg)
- shockproof gauge meter



HP10 PUMP

parameter

Item:HP10 PUMP

Part number:HP10 010

Dimensions:8.5x27.5x65cm

Capacity:1.8x1.8L

Max Pressure:26 psi



Advantage

- removable foot
- capacity 1.8+1.8L, max. pressure 26psi as DIN EN 16051
- rotating pump adapter to make it easier to connect the hose
- seals and anti-sand filter for long life of pump and SUP board
- high-airflow piston for an easier inflation
- switch tap or rotating switch for double/single action
- shockproof gauge meter



Detachable large tail fin

parameter

Color: black (customizable)
 Material of upper film: 100%PC
 base material: PVC
 Size: 9"



American tail fin

parameter

Color: black (customizable)
 Material of upper film: Enhanced High Gloss Nylon
 Size: 10.8"



Detachable large tail fin

parameter


Color: black (customizable)
 Material of upper film: 100%PC
 base material: PVC
 Size: 9"



American tail fin

parameter

Color: black (customizable)
 Material of upper film: PA6+30% glass fiber
 Size: 10.8"



Backpack

parameter

Name:B-001

Color:Black

Material: Oxford cloth

size:92.5*45*24cm



wheel bag

parameter

Name:B-002

Color:Black

Material: Oxford cloth

size:92.5*45*24cm



double swivel foot rope

parameter

Spiral diameter: 5mm/5.5mm/6mm/7mm

Elastic length: 300cm

Color: customizable



5mm



6mm



7mm